

FOUNDATION CONSTRUCTION METHODOLOGY

- MATERIAL NOTES:

- 32x1.2mm 'eCo' WALL TIE BUILT INTO BRICKWORK

WALL PLATE

32x1.2mm 'eCo' WALL TIE BUILT INTO BRICKWORK

CUT END OF STRAP 120mm TO PROVIDE 70mm
EMBEDMENT IN EACH SKIN. SPLAYED ENDS TO
BE CURLED UP IN BEDJOINTS AS INDICATED

NOTE: HURRICANE STRAPS REQUIRED FOR TIMBER PURLIN TO RAFTER CONNECTION

1:10

———— 4M10 THROUGH BOLTS

10THK SADDLE

LAMINATED BEAM

2NO. OF 100x65x8

1:10

ISOLATION JOINT (IJ)

1:10

2x Y12 BARS T&B
ALL SIDES AT 45° TO
SLAB REBAR

2x Y12 BARS T&B
ALL SIDES PARALLEL
TO SLAB REBAR

2x Y12 BARS T&B
ALL SIDES AT 45° TO
SLAB REBAR

2x Y12 BARS T&B
ALL SIDES PARALLEL
TO SLAB REBAR

1:20

REVISIONS

REVISION No DATE : DESCRIPTION:

DISCIPLINE:


CIVIL ENGINEER



DEPARTMENT OF PUBLIC WORKS



IMPLEMENTED BY:



CONTRACTOR:

OBISA SAFE ABLUTIONS
L JENTILE JSS
EMIS NO. 200600359

RAWING TITLE:

L JENTILE J.S.S. :
DETAILS

DISCIPLINE	DWG NO.	STATUS	REVISION	D
ENGINEER	INT - 350 - 301	SW	01	14

1:25

1:20

1:20

1:1C

1:25