




TYPE D (TEACHER'S ABLUTION)
1 SEAT +1 URINAL, 2 SEATS FEMALE & 1 DISABLED
FLOOR PLAN
SCALE 1:100




TYPE H (FEMALE ABLUTION)
8 SEATS
FLOOR PLAN
SCALE 1:100



TYPE I (MALE ABLUTION)
4 SEATS + 4 URINALS
FLOOR PLAN
SCALE 1:100



TYPE F (GRADE R ABLUTION)
4 SEATS + 3 BASINS
FLOOR PLAN
SCALE 1:100




TYPE D (TEACHER'S)
FRONT ELEVATION 01
SCALE 1:100

TYPE D (TEACHER'S)
SIDE ELEVATION 02
SCALE 1:100

TYPE D (TEACHER'S)
REAR ELEVATION 03
SCALE 1:100

TYPE D (TEACHER'S)
SIDE ELEVATION 04
SCALE 1:100




TYPE H (FEMALE ABLUTIONS)
FRONT ELEVATION 01
SCALE 1:100

TYPE H (FEMALE ABLUTIONS)
SIDE ELEVATION 02
SCALE 1:100

TYPE H (FEMALE ABLUTIONS)
REAR ELEVATION 03
SCALE 1:100

TYPE H (FEMALE ABLUTIONS)
SIDE ELEVATION 04
SCALE 1:100




TYPE I (MALE ABLUTIONS)
FRONT ELEVATION 01
SCALE 1:100

TYPE I (MALE ABLUTIONS)
SIDE ELEVATION 02
SCALE 1:100

TYPE I (MALE ABLUTIONS)
REAR ELEVATION 03
SCALE 1:100

TYPE I (MALE ABLUTIONS)
SIDE ELEVATION 04
SCALE 1:100



TYPE F (GRADE R)
FRONT ELEVATION 01
SCALE 1:100


TYPE F (GRADE R)
SIDE ELEVATION 02
SCALE 1:100

TYPE F (GRADE R)
REAR ELEVATION 03
SCALE 1:100

TYPE F (GRADE R)
SIDE ELEVATION 04
SCALE 1:100

WINDOW SCHEDULE

CODE	W1	W2
EXTERNAL CILL	Brick on edge - to match face brick	Brick on edge - to match face brick
INTERNAL CILL	150 x 15mm thick "fibre cement pressed cement window cill fixed to wall in-bedded in 1:3 cement mortar.	150 x 15mm thick "fibre cement pressed cement window cill fixed to wall in-bedded in 1:3 cement mortar.
FRAME TYPE:	900 x 600mm high standard aluminium window, frame to comply with AAAMSA specifications	600 x 600mm high standard aluminium window, frame to comply with AAAMSA specifications
FRAME FINISH	Powder coated aluminium finish	Powder coated aluminium finish
GLAZING	6mm Safety glass	6mm Safety glass



SECTION A - A SCALE 1:50

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO ANY WORK OR SHOP DRAWINGS. ALL DISCREPANCIES TO BE DISCUSSED WITH PROJECT MANAGER PRIOR TO IMPLEMENTATION THEREOF.

REVISION	DATE	NO.	REVISIONS	INIT.

■ Implementing Agent



SIGNATUREDATE.....

■ Client



■ Consultant



Project Title:	SILIMELA SENIOR PRIMARY SCHOOL		
EMIS No. 200400999			
date : 06 APRIL 2021	drawn : PJM	AS SHOWN	scale :
Drawing Description:	PROPOSED NEW ABLUTION FACILITIES AND DEMOLITION OF EXISTING ABLUTIONS		
Job No. EC-2021/2	Drawing No. SSPS-101	Rev. No. C	
ISSUED FOR APPROVAL			
ISSUED FOR INFORMATION			
ISSUED FOR SUBMISSION			
ISSUED FOR TENDER			
ISSUED FOR CONSTRUCTION			