

GENERAL NOTES

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWING.

ALL DIMENSIONS, LEVELS, ETC ARE TO BE CHECKED BEFORE ANY WORK IS COMMENCED AND ANY DICREPANCIES NOTED TO BE BROUGHT TO THE ARCHITECT'S ATTENTION.

ONLY FIGURED DIMENSIONS TO BE USED, SCALING OF DRAWINGS IS NOT ADVISABLE.

ALL RIGHTS RESERVED. NO PART OF THIS DESIGN SHALL BE REPRODUCED, USED ELSEWHERE AND/ OR IN ANY WAY WITHOUT PRIOR PERMISSION FROM THE ARCHITECT/ ENGINEER.

GEOTECH INFORMATION

SOIL TYPE: C1 and Unified Soil Class (SC-SM)

ASSUMED SOIL BEARING CAPACITY: <150 kPa kPa

RECOMMENDED FOUNDATION TYPE: Reinforced Strip Foot Foundation

RECOMMENDED FOUNDATION DEPTH: 0.6-1m

REV. NO.	DATE	DESCRIPTION
A	2020-12-16	FIRST ISSUE
B	2021-02-25	ISSUED FOR TENDER
C	2021-03-23	ISSUED FOR TENDER

MUNICIPAL APPROVAL

NAME:.....

SIGNATURE:.....DATE:.....

STAMPS:

PRINCIPAL AGENT



No. 1 Newtown Avenue,
Kilmeray,
Johannesburg , 2193

Tel: 011 - 532 8659
Email:info@mamadi.co.za

COMPETENT CONTACT PERSON: CONT. No: +2711 532 8659

FULL NAME FIRM REG No: 2016/012437/07

Copyright vests in the Department of Education



ARCHITECTURAL

PROJECT NAME

SEDIKO PRIMARY SCHOOL

EMIS NUMBER:
600101902

PROJECT STATUS

STAGE 1-3	STAGE 4	STAGE 5-6
CONCEPT	TENDER	CONSTRUCTION

DESCRIPTION

GRADE-R CLASS BLOCK
- Section & Elevations

SCALE:
1:50

DRAWN:

CHECKED:

NAME OF COMPETENT PERSON: NAME OF COMPETENT PERSON:

ANDRE NKUNA DANNY KALOMBO

REG No: REG No: PR.ARCH24740538

SIGNATURE SIGNATURE

PROJECT NUMBER

RFP 263/2019



DATE: 2020-12-15

DWG No: 108

OCCUPANCY CLASSIFICATION

A4.4 Primary & Secondary School

REV No: C



SANS 10400 & XA COMPLIANCE	OTHER APPROVALS	WATER SUPPLIER	SANITATION/ SEWER	SITE INFORMATION	STAGES	PROJECT TEAM
CONDUTANCE Rational Des. [Y] [N] Standard Cal [Y] [N]	Environmental Impact Assessment (EIA) South African Heritage Resources Agency (SAHRA) Department of Water and Sanitation (DWS) South African National Roads Agency (SANRAL) Other	MUNICIPALITY Yes No MUNICIPALITY NAME BOREHOLE Yes No WATER USE LICENCE PRESSURE TBC TANKS Number Total Capacity 1 2000 OTHER STORE Yes No	MUNICIPALITY Yes No MUNICIPALITY NAME Mathosana SEPTIC TANKS Yes No CAPACITY PIT LATRINES Yes No SPECIFY: OTHER	ERF No. 15756 COVERAGE 10.9 % (3795 m²) VILLAGE NAME Jouberton Ext. 15 DISTRICT Dr Kenneth Kaunda COORDINATES 26°54'12.4"S 26°35'46.5"E	SIPDM 0 1 2 3 4 5 6 7 8 9 SACAP 1 2 3 4 5 6	COMPETENT CONTACT PERSON DANNY KALOMBO Q. SURVEYOR HENK DOKTER STRUCT. ENG THABISO MOTSHEGOA CIVIL ENG GIVEN MBHOKOTA MECH. ENG PULE SHEANE ELECT. ENG JOHN MOKOENA OHS NATHANIEL MATHAGA CONTRACTOR