




C 02 Hoarding Plan  
SCALE: 1 : 200

LEGEND

- 100W HPS LAMP STREETLIGHT FITTING ON 3.6m(3.0 m/h) POLE.
- LV CABLE ROUTE DIRECTLY BURIED
- ELECTRICAL CABLES RUN IN A 50mm SLEEVE
- ELECTRICAL CABLES RUN IN A 110mm SLEEVE
- ELECTRICAL CABLES IN A SLEEVE
- ELECTRICAL DISTRIBUTION BOARD
- ELECTRICAL MANHOLE TO SPECIFICATION 900mm(I) x 900mm(W) x 900mm(d)



DBSA	
ARCHITECT:.....	DATE:.....
SIGNATURE:.....	
OHS:.....	
SIGNATURE:.....	
NORTH WEST DEPARTMENT OF EDUCATION	
NAME:.....	
SIGNATURE:.....	
NAME:.....	
SIGNATURE:.....	
NAME:.....	
SIGNATURE:.....	

GENERAL NOTES

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWING.

ALL DIMENSIONS, LEVELS, ETC ARE TO BE CHECKED BEFORE ANY WORK IS COMMENCED AND ANY DISCREPANCIES NOTED TO BE BROUGHT TO THE ARCHITECT'S ATTENTION.

ONLY FIGURED DIMENSIONS TO BE USED, SCALING OF DRAWINGS IS NOT ADVISABLE.

ALL RIGHTS RESERVED. NO PART OF THIS DESIGN SHALL BE REPRODUCED, USED ELSEWHERE AND/OR IN ANY WAY WITHOUT PRIOR PERMISSION FROM THE ARCHITECT/ENGINEER.

GEOTECH INFORMATION		
SOIL TYPE:	C1 and Unified Soil Class (SC-SM)	
ASSUMED SOIL BEARING CAPACITY:	<150 kPa	
RECOMMENDED FOUNDATION TYPE:	Reinforced Strip Foot Foundation	
RECOMMENDED FOUNDATION DEPTH:	0.8-1m	
REV. NO.	DATE	DESCRIPTION
A	2021-01-26	ISSUED FOR REVIEW
B	2021-02-08	ISSUED FOR APPROVAL
C	2021-03-17	ISSUED FOR TENDER

MUNICIPAL APPROVAL

NAME:.....

SIGNATURE:.....DATE:.....

STAMPS:

PRINCIPAL AGENT

No. 1 Newtown Avenue,  
Klerksburg, 2193

Tel: 011 - 532 8659  
Email: info@mamadi.co.za

COMPETENT CONTACT PERSON: CONT. No: +2711 532 8659

FULL NAME FIRM REG No: 2016/012437/07

Copyright vests in the Department of Education

DISCIPLINE

ELECTRICAL

PROJECT NAME

SEDIKO PRIMARY SCHOOL

EMIS NUMBER:  
600101902

PROJECT STATUS

STAGE 1-3	STAGE 4	STAGE 5-6
CONCEPT	TENDER	CONSTRUCTION

DESCRIPTION

DECANTING & HOARDING TEMPORARY ELECTRICAL RETICULATION PLAN

SCALE:  
1:200

DRAWN: NAME OF COMPETENT PERSON: OMPHEMETSE MOLEFE	CHECKED: NAME OF COMPETENT PERSON: JOHN MOKOENA
REG No: SIGNATURE	REG No: 20030038 - ECSA SIGNATURE

PROJECT NUMBER

RFP 263/2019

OCCUPANCY CLASSIFICATION

DATE: 2021-01-26

DWG No: DBSA-JBT-S1-ENG-ELE-DWG-010

REV No: C

SANS 10400 & XA COMPLIANCE		
CONDUTANCE	Regional Des. <input type="checkbox"/> Y <input type="checkbox"/> N	Standard Cel <input type="checkbox"/> Y <input type="checkbox"/> N
SOLAR HEAT GAIN	Regional Des. <input type="checkbox"/> Y <input type="checkbox"/> N	Standard Cel <input type="checkbox"/> Y <input type="checkbox"/> N
GEOGRAPHICAL ZONE		
NBRs COMPLIANCE		
SITE PLAN	Yes <input type="checkbox"/> No <input type="checkbox"/>	
OTHER DRAWINGS	Yes <input type="checkbox"/> No <input type="checkbox"/>	

OTHER APPROVALS		
Environmental Impact Assessment (EIA)	Mark with X <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
South African Heritage Resources Agency (SAHRA)	Mark with X <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
Department of Water and Sanitation (DWS)	Mark with X <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
South African National Roads Agency (SANRAL)	Mark with X <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
Other	Mark with X <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	

WATER SUPPLIER		
MUNICIPALITY	Yes <input type="checkbox"/> No <input type="checkbox"/> MUNICIPALITY NAME	
BOREHOLE	Yes <input type="checkbox"/> No <input type="checkbox"/> WATER USE LICENSE	
PRESSURE	TBC	BAIRS
TANKS	Number Total Capacity 1 2000	LITERS
OTHER STORE	Yes <input type="checkbox"/> No <input type="checkbox"/> Specify below	

SANITATION/ SEWER		
MUNICIPALITY	Yes <input type="checkbox"/> No <input type="checkbox"/> MUNICIPALITY NAME	
SEPTIC TANKS	Yes <input type="checkbox"/> No <input type="checkbox"/> CAPACITY	
PIT LATRINES	Yes <input type="checkbox"/> No <input type="checkbox"/>	
OTHER	Yes <input type="checkbox"/> No <input type="checkbox"/> SPECIFY:	

SITE INFORMATION	
ERF No.	15758
COVERAGE	10.9 % (3795 m <sup>2</sup> )
VILLAGE NAME	Jouberton Ext. 15
DISTRICT	Dr Kenneth Kaunda
COORDINATES	26°54'12.4"S 26°35'46.5"E

STAGES		
SIPDM	SACAP	Mark with X
0		<input type="checkbox"/>
1		<input type="checkbox"/>
2		<input type="checkbox"/>
3	1	<input checked="" type="checkbox"/>
4	2	<input type="checkbox"/>
5	3	<input type="checkbox"/>
6	4	<input type="checkbox"/>
7		<input type="checkbox"/>
8	5	<input type="checkbox"/>
9	6	<input type="checkbox"/>

PROJECT TEAM			
COMPETENT CONTACT PERSON	CONTACT No.	REGISTRATION No.	COMPANY NAME
DANNY KALOMBO	+27 79 875 8873	PRArch 24740538	MAMADI & COMPANY
Q. SURVEYOR	HEIK DOKTER	+27 82 807 9005	570 - SCOS
STRUCT. ENG	THABISO MOTSHEGOA	+27 73 757 8094	201370184 - ECSA
CIVIL ENG	GIVEN MBHOKOTA	+27 83 580 1709	201470013 - ECSA
MECH. ENG	PULE SHEANE	+27 72 172 8396	201570022 - ECSA
ELECT. ENG	JOHN MOKOENA	+27 63 005 5891	20030038 - ECSA
OHS	NATHANIEL MATHAGA	+27 72 947 7939	CHS 1400005
CONTRACTOR			MAMADI & COMPANY