




GROUND FLOOR PLAN
SCALE - 1:100




SECTION A - A
SCALE - 1:100




SECTION B - B
SCALE - 1:100




SIDE ELEVATION
SCALE - 1:100



SIDE ELEVATION
SCALE - 1:100



REAR ELEVATION
SCALE - 1:100



FRONT ELEVATION
SCALE - 1:100

SANITARY FITTINGS	STANDARD WC	WC SUITE: White 90 vitreous china pan and P-trap with white heavy duty single plastic flap seat. 9 litre low level white vitreous china cistern, with view fitting and matching flush pipe. (Flush Valve: System to be utilised if area water pressure allows).
	PARAPLEGIC WC	Back view 90° wall hung open rim pan. Pan can be used with a concealed cistern or with a suitable back and flush valve.
	WALL URINAL	STAINLESS STEEL CURVED BACK URINAL, TO SUIT THE WALL LENGTH complete with concealed sarge pipe with (3 or 4) flushpipe couplings and 10mm diameter outlet with grating.
	WHITE GLAZED PORCELAIN WHB	WHITE PORCELAIN ENAMELLED BATH with one hole punched out 31 mm chromium plated outlet, with drain chain, anchor & 32mm trap but complete. Provide one chromium plated pillar tap except in Admin Block & Grade 10 Sick room - provide two taps hot and cold. Provide black soft rubber P trap. Disabled WHB fixed to wall as per SANS 10400.
	TAPS	CHROMA WATERTECH P pillar tap no 111 with star chromium plated handle, colour, markings finished & complete. recommended working pressure is 400kpa (4 bar) accessories to manufacture specification.
	MIRROR	Frankie 1.5m 1810 stainless steel mirror m500 size 400 x 800 with a reflective polished surface and concealed their resistant fixings. 1 x mirror per basin.
	ROLL HOLDER	Frankie TR2 stainless steel wall mounted lockable double toilet roll holder. Size: 281 x 126 x 136 mm.
	PARAPLEGIC WC GRABRAILS	Railman Grabrails: Ref DL2 dogleg grabrail with 2 flanges. 304 high quality stainless steel 32mm o.d. finish satin polished. 80mm o.d. flanges drilled and countersunk with 3 fixed screws. Railman Grabrails: Ref SR2 750mm x 200mm straight grabrail position as per detailed drawing. 304 high quality stainless steel 32mm o.d. finish satin polished. 80mm o.d. flanges drilled and countersunk with 3 fixed screws.

NOTES:

- All boundaries, dimensions and levels are to be checked on site before construction and any discrepancies are to be reported to the office of the Architect.
- Partial Service: Any discrepancies with site or other information is to be advised to the Architect and direction or approval is to be sought before the implementation of the detail.
- Do not scale this drawing.
- For the purpose of coordination, all relevant parties must check this information prior to implementation and report any discrepancies to the Architect.

Revisions:

Rev No:	Date:	Description:	Rev By:
A	17/08/22	For Information Purposes Only	MM
B	28/08/22	Classroom Plan Updated - Ablutions	MM
C	27/09/22	Roof design change and brickwork design change	MM

Architect :

Name :

Signature :

Client :

Name :

Signature :

Project:

**CONDITION ASSESSMENT
WESTERN HOLDINGS PRIMARY SCHOOL**

Drawing description:

**PROPOSED NEW
CLASSROOM BLOCK**

Drawn:
URBAN PLATFORM ARCHITECTS + PLANNERS

Scale/s: AS SHOWN ON DRAWING

FOR INFORMATION

Drawing Number:
082-WHPS-201

Revision:
C