



ITEM	ITEM	PIPE SIZE	ISOLATION VALVE
Wash hand basin	0.15L/s	15mm	<input checked="" type="checkbox"/>
Toilets (Cistern) and Urinaries	0.12L/s	15mm	<input checked="" type="checkbox"/>
Sinks	0.20L/s	15mm	<input checked="" type="checkbox"/>
Both	0.20L/s	15mm	<input checked="" type="checkbox"/>

SANS 10400 & XA COMPLIANCE

CONDUTANCE

SOLAR HEAT GAIN

GEOGRAPHICAL ZONE

NBRs COMPLIANCE

SITE PLAN

OTHER DRAWINGS

OTHER APPROVALS

Enviromental Impact Assessment (EIA)
South African Heritage Resources Agency (SAHRA)
Department of Water and Sanitation (DWS)
South African National Roads Agency (SANRAL)
Other

WATER SUPPLIER

MUNICIPALITY
BOREHOLE
PRESSURE
TANKS
OTHER STORE

SANITATION/ SEWER

MUNICIPALITY
SEPTIC TANKS
PIT LATRINES
OTHER

SITE INFORMATION

ERF No.
COVERAGE
VILLAGE NAME
DISTRICT
COORDINATES

STAGES

SIPDM
SACAP
Mark with X

PROJECT TEAM

ARCHITECT
Q. SURVEYOR
STRUCT. ENG
CIVIL ENG
MECH. ENG
ELECT. ENG
OHS
CONTRACTOR

GENERAL NOTES

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWING.
ALL DIMENSIONS, LEVELS, ETC ARE TO BE CHECKED BEFORE ANY WORK IS COMMENCED AND ANY DICREPANCIES NOTED TO BE BROUGHT TO THE ARCHITECT'S ATTENTION.
ONLY FIGURED DIMENSIONS TO BE USED, SCALING OF DRAWINGS IS NOT ADVISABLE.
ALL RIGHTS RESERVED. NO PART OF THIS DESIGN SHALL BE REPRODUCED, USED ELSEWHERE AND/ OR IN ANY WAY WITHOUT PRIOR PERMISSION FROM THE ARCHITECT/ ENGINEER.

GEOTECH INFORMATION

SOIL TYPE: CLAYEY SILT, RESIDUAL ANDESTE
ASSUMED SOIL BEARING CAPACITY: EASBP = 150 kPa
RECOMMENDED FOUNDATION TYPE: CONCRETE RAFT
RECOMMENDED FOUNDATION DEPTH: 600MM

REV. NO. DATE DESCRIPTION
A 08/11/22 Issued for Tender

DBSA APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

DBSA APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

DEPARTMENT OF TOURISM APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

DEPARTMENT OF TOURISM APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

DEPARTMENT OF TOURISM APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

MUNICIPAL APPROVAL

NAME:.....
SIGNATURE:..... DATE:.....

CLIENT

DBSA

PRINCIPAL AGENT

KUMA

COMPETENT CONTACT PERSON: KUDA NYABADZA
CONT. No: 0126650614, 078 879 2332
FIRM REG No: 2015/200682/07

COPYRIGHT VESTS IN THE NATIONAL DEPARTMENT OF TOURISM

tourism
Department: Tourism
REPUBLIC OF SOUTH AFRICA

NATIONAL DEPARTMENT OF TOURISM

DISCIPLINE ARCHITECTURAL

PROJECT NAME

LETLAMORENG DAM

PROJECT STATUS

STAGE 1-3 STAGE 4 STAGE 5-6

CONCEPT TENDER CONSTRUCTION

DESCRIPTION SCALE: 1/100

ABLUTION WET SERVICES

DRAWN: C. CHAGWEDERA
CHECKED: TR TSHIVHASE

NAME OF COMPETENT PERSON: C. CHAGWEDERA
NAME OF COMPETENT PERSON: TR TSHIVHASE

REG No: 201800118 REG No: 2018300207

SIGNATURE SIGNATURE

PROJECT NUMBER DATE: 07 November 2022

DWG No:

Mech/KIOSK - WET/01

OCCUPANCY CLASSIFICATION REV No: A