



**government
printing**

Department:
Government Printing Works
REPUBLIC OF SOUTH AFRICA

Government Printing Works

GPW HQ- GENERAL UPGRADE OF EXISTING PREMISES

GPW/HQ/2017/02

530 IRONMONGERY SCHEDULE

ISSUED FOR TENDER - T

PREPARED BY



Head Office: 21 West Riding Row, Sherwood, Durban, 4091
Tel: (+27 31) 207 1340, dbn@ldm.co.za
PTA Office: 239 Lange Street, Neuw Muckleneuk Street, Brooklyn,
Pretoria 0180, Tel: (+27 12) 346 8676
JHB Office: Suite 13, 1st Floor, Katherine & West, 114 West Street,
Sandown, 2196, (+27 11) 442 0754



PROJECT NAME: Government Printing Works Aluminium Doors

PROFESSIONAL: PGA Architects

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

REPORT DATE: 09/11/2020

dormakaba 

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		01			
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (1)		-1.01			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	2	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	ACBSS	Access control by security specialist		1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	2	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020



PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		04			
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (6)		0.02, 1.01, 2.01, 3.01, 4.01, 5.01			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	2	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	2	Pair
	ACBSS	Access control by security specialist		1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	2	Each

HARDWARE FOR SET:		02			
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (3)		-1.34, -1.33, 0.05			
Product Image	Product Code	Description	Finish	Qty	Units
	ES200 Heavy Duty - Separate Quote	dormakaba ES200 HEAVY DUTY Sliding door operator as per separate quotation.		1	Set
	DFP-SS-025	dormakaba 120x40mm Rectangular Flush Pull Handle	Stainless Steel	4	Each
	ACBSS	Access control by security specialist		1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		05			
Hardware Set Quantity :		1			
Notes		Access control to be confirmed to these doors. Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (11)		0.10, 1.04, 1.43, 2.04, 2.47, 3.04, 3.42, 4.04, 4.45, 5.04, 5.43			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	2	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	2	Pair
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	2	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors





REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		06			
Hardware Set Quantity :		1			
Notes		90mm stile given to accommodate timber door lock & escutcheons			
Doors (129)		0.23, 0.24, 0.25, 0.26, 0.28, 0.29, 0.30, 0.31, 0.32, 0.33, 0.34, 0.55, 0.56, 0.58, 0.59, 0.60, 0.61, 1.05, 1.06, 1.07, 1.08, 1.09, 1.10, 1.11, 1.12, 1.33, 1.34, 1.35, 1.36, 1.37, 1.38, 1.39, 1.40, 1.41, 1.51, 1.53, 1.54, 1.55, 1.56, 1.57, 1.58, 1.59, 1.60, 1.64, 1.65, 2.07, 2.08, 2.09, 2.10, 2.11, 2.12, 2.13, 2.14, 2.35, 2.36, 2.37, 2.38, 2.39, 2.40, 2.41, 2.42, 2.48, 2.49, 2.51, 2.52, 2.55, 2.56, 2.57, 2.58, 2.59, 3.05, 3.06, 3.07, 3.08, 3.09, 3.10, 3.11, 3.33, 3.34, 3.35, 3.36, 3.37, 3.38, 3.39, 3.40, 3.48, 3.50, 3.51, 3.52, 3.55, 3.56, 4.05, 4.06, 4.07, 4.08, 4.09, 4.10, 4.11, 4.12, 4.33, 4.34, 4.35, 4.36, 4.37, 4.38, 4.39, 4.40, 4.50, 4.51, 5.10, 5.11, 5.12, 5.13, 5.34, 5.35, 5.36, 5.37, 5.38, 5.39, 5.40, 5.41, 5.49, 5.51, 5.52, 5.53, 5.54, 5.55, 5.56, 5.57			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	SH815 Cyl S.S	dormakaba Lever handle on rose with Cylinder escutcheons	Stainless Steel	1	Set
	D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
	DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		07			
Hardware Set Quantity :		1			
Notes		As discussed telephonically, no locks to kitchens.			
Doors (11)		0.38, 1.30, 1.42, 2.32, 2.43, 3.30, 3.41, 4.30, 4.41, 5.31, 5.42			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	TS92B - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	1	Each
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		08			
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (8)		0.52, 0.53, 1.47, 1.62, 4.46, 5.05, 5.07, 5.46			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 HO	dormakaba EN 2-4 Concealed in the Door Closer - HOLD OPEN	-	1	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	D07735 SS	dormakaba Narrow Stile Heavy Duty Swivel Dead Lock. Case dimensions (mm) 174H x 40D. Forend dimensions (mm) 290H x 22W. Backset 35mm.	Stainless Steel	1	Each
	DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	1	Each
	DCE-105 S.S	dormakaba Narrow Stile Cylinder escutcheon	Stainless Steel	1	Pair
	FAFM	Flush Bolts as per Aluminium Frame Manufacturer		2	Each
	DPS-SS-032	dormakaba Dust Proof Strike	Stainless Steel	1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	2	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		09			
Hardware Set Quantity :		1			
Notes					
Doors (2)		0.57, 0.62			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	TS92B HO - SL	dormakaba MECHANICAL HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	1	Each
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	D07735 SS	dormakaba Narrow Stile Heavy Duty Swivel Dead Lock. Case dimensions (mm) 174H x 40D. Forend dimensions (mm) 290H x 22W. Backset 35mm.	Stainless Steel	1	Each
	DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	1	Each
	DCE-105 S.S	dormakaba Narrow Stile Cylinder escutcheon	Stainless Steel	1	Pair
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each
	DSS-135 TC	dormakaba 150x150mm TEA CUP sign	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors







REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		12			
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (8)		1.48, 1.61, 2.05, 2.06, 3.46, 3.57, 4.53, 5.48			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 HO	dormakaba EN 2-4 Concealed in the Door Closer - HOLD OPEN	-	1	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	D07735 SS	dormakaba Narrow Stile Heavy Duty Swivel Dead Lock. Case dimensions (mm) 174H x 40D. Forend dimensions (mm) 290H x 22W. Backset 35mm.	Stainless Steel	1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each
	DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	1	Each
	DCE-105 S.S	dormakaba Narrow Stile Cylinder escutcheon	Stainless Steel	1	Pair

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020




PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET: 13					
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (1)		1.49			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	1	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE FOR SET: 15					
Hardware Set Quantity :		1			
Notes		Shop Fitter to be advised about concealed closer to prepare his frames accordingly.			
Doors (1)		3.12			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	2	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	2	Pair
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	2	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		11			
Hardware Set Quantity :		1			
Notes		TS93G EN 5-7 to be fitted on active leaf. TS93G En 2-5 to be fitted on inactive leaf. Please note that due to the size of the doors we cannot guarantee this application.			
Doors (1)		SF.08			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	TS93G - AB - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1250mm. Closing Force EN 2-5V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Push-side door leaf fixing (Standard), Pull-side transom fixing.(Angle bracket included). Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001. NOTE: Angle Bracket (Slide Channel) to be used. Please note fixing instructions are supplied with the product	Silver	1	Set
	TS93G EN5-7 - AB - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1600mm. Closing Force EN 5-7V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Push-side door leaf fixing (Standard), Pull-side transom fixing.(Angle bracket included). Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001. NOTE: Angle Bracket (Slide Channel) to be used. Please note fixing instructions are supplied with the product	Silver	1	Set
	ACBSS	Access control by security specialist		1	Each
	PHB3 WL DD	dormakaba Three point locking panic bar - Double door - Door leaf 1300mm wide x 3400mm high (3103. 3103. PHX02. PHX05) NOTE: Panic Hardware fitted to door using male/female type fixing screws	-	1	Set

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors





REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		03			
Hardware Set Quantity :		1			
Notes		Panic Hardware fitted to door using male/female type fixing screws			
Doors (1)		-1.32			
Product Image	Product Code	Description	Finish	Qty	Units
	DCH-AL-H24	dormakaba Heavy Duty Continuous Geared Hinge - 2400mm	Natural Anodized	1	Each
	TS93B HO - SL	dormakaba MECHANICAL HOLD OPEN Cam action slide channel door closer. Max door width 1250mm. Closing Force EN 2-5V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Hold-open devices tested to EN 1155. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001. NOTE: 1 roller bolt at the top of each leaf & 1 in the center of the door.	Silver	1	Each
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	ACBSS	Access control by security specialist		1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop NOTE: Door stop to be screwed to floor in sensible position to allow maximum opening	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Aluminium Doors




REPORT DATE: 09/11/2020



PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		10			
Hardware Set Quantity :		1			
Notes					
Doors (1)		0.63			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	1	Set
	DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
	ACBSS	Access control by security specialist		1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE FOR SET:		14			
Hardware Set Quantity :		1			
Notes		1 roller bolt at the top of each leaf & 1 in the center of the door.			
Doors (5)		1.52, 2.50, 3.49, 4.47, 5.50			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		0	Each
	DRP-SS-023	dormakaba 62x44mm Ring Flush Pull Handle	Stainless Steel	1	Each
	DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	3	Each

CONTROL LIST

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
-1.01	01	Basement	Lift Lobby	AD07	1.5			
-1.34	02	Basement	Lobby	ASD2	Auto			
-1.33	02	Basement	Security	ASD1	Auto			
-1.32	03	Basement	Security	SF52	RH			
0.02	04	Gr Floor	Lift Lobby	AD02	DD			
0.05	02	Gr Floor	Reception	ASD1	Auto			
0.10	05	Gr Floor	Reception	AD02	DD			
0.23	06	Gr Floor	Office 3	AD04	RH			
0.24	06	Gr Floor	Office 4	AD04	RH			
0.25	06	Gr Floor	Office 5	AD04	RH			
0.26	06	Gr Floor	Office 6	AD04	RH			
0.28	06	Gr Floor	Office 7	AD04	LH			
0.29	06	Gr Floor	Office 8	AD04	LH			
0.30	06	Gr Floor	Office 9	AD04	LH			
0.31	06	Gr Floor	Office 10	AD04	LH			
0.32	06	Gr Floor	Office 11	AD04	LH			
0.33	06	Gr Floor	Office 12	AD04	LH			
0.34	06	Gr Floor	Office 13	AD04	LH			
0.38	07	Gr Floor	Kitchen	AD05	RH			
0.52	08	Gr Floor	10 Seater B Room	AD03	DD			
0.53	08	Gr Floor	10 Seater B Room	AD03	DD			
0.55	06	Gr Floor	Office 1	AD04	RH			
0.56	06	Gr Floor	Office 2	AD04	RH			
0.57	09	Gr Floor	Isolated Call Center	AD04	RH			
0.58	06	Gr Floor	Office 16	AD04	RH			
0.59	06	Gr Floor	Office 15	AD04	RH			
0.60	06	Gr Floor	Office 14	AD04	RH			
0.61	06	Gr Floor	Office 12	AD04	RH			
0.62	09	Gr Floor	Isolated Call Center	AD04	LH			
0.63	10	Gr Floor	Passage	AD04	LH			
SF.08	11	Gr Floor	Refuge Escape	SF08	DD			
1.01	04	1st Floor	Lift Lobby	AD02	DD			
1.04	05	1st Floor	Lobby	AD02	DD			
1.05	06	1st Floor	Office 17	AD04	RH			
1.06	06	1st Floor	Office 16	AD04	RH			
1.07	06	1st Floor	Office 15	AD04	LH			
1.08	06	1st Floor	Office 14	AD04	LH			

CONTROL LIST



PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
1.09	06	1st Floor	Office 13	AD04	LH			
1.10	06	1st Floor	Office 12	AD04	LH			
1.11	06	1st Floor	Office 11	AD04	LH			
1.12	06	1st Floor	Office 10	AD04	LH			
1.30	07	1st Floor	Kitchen	AD05	RH			
1.33	06	1st Floor	Office 9	AD04	RH			
1.34	06	1st Floor	Office 8	AD04	RH			
1.35	06	1st Floor	Office 7	AD04	RH			
1.36	06	1st Floor	Office 6	AD04	RH			
1.37	06	1st Floor	Office 5	AD04	RH			
1.38	06	1st Floor	Office 4	AD04	RH			
1.39	06	1st Floor	Office 3	AD04	RH			
1.40	06	1st Floor	Office 2	AD04	LH			
1.41	06	1st Floor	Office 1	AD04	LH			
1.42	07	1st Floor	Pause	AD05	LH			
1.43	05	1st Floor	Lobby	AD02	DD			
1.47	08	1st Floor	20 Seater B Room	AD03	DD			
1.48	12	1st Floor	20 Seater	AD05	RH			
1.49	13	1st Floor	Open Plan	AD04	LH			
1.51	06	1st Floor	Office 19	AD04	RH			
1.52	14	1st Floor	FHR	ED13	DD			
1.53	06	1st Floor	Office 20	AD04	RH			
1.54	06	1st Floor	Office 20	AD04	RH			
1.55	06	1st Floor	Office 22	AD04	LH			
1.56	06	1st Floor	Office 23	AD04	LH			
1.57	06	1st Floor	Office 24	AD04	LH			
1.58	06	1st Floor	Office 25	AD04	LH			
1.59	06	1st Floor	Office 26	AD04	LH			
1.60	06	1st Floor	Office 27	AD04	LH			
1.61	12	1st Floor	Office 28	AD04	LH			
1.62	08	1st Floor	20 Seater B Room	AD03	DD			
1.64	06	1st Floor	Office 18	AD04	LH			
1.65	06	1st Floor	Office 21	AD04	LH			
2.01	04	2nd Floor	Lift Lobby	AD02	DD			
2.04	05	2nd Floor	Lobby	AD02	DD			
2.05	12	2nd Floor	10 Seater B Room	AD04	RH			
2.06	12	2nd Floor	10 Seater B Room	AD04	LH			

CONTROL LIST



PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
2.07	06	2nd Floor	Office 18	AD04	RH			
2.08	06	2nd Floor	Office 17	AD04	RH			
2.09	06	2nd Floor	Office 16	AD04	LH			
2.10	06	2nd Floor	Office 15	AD04	LH			
2.11	06	2nd Floor	Office 14	AD04	LH			
2.12	06	2nd Floor	Office 12	AD04	LH			
2.13	06	2nd Floor	Office 11	AD04	LH			
2.14	06	2nd Floor	Office 10	AD04	LH			
2.32	07	2nd Floor	Kitchen	AD05	RH			
2.35	06	2nd Floor	Office 26	AD04	RH			
2.36	06	2nd Floor	Office 25	AD04	RH			
2.37	06	2nd Floor	Office 24	AD04	RH			
2.38	06	2nd Floor	Office 23	AD04	RH			
2.39	06	2nd Floor	Office 22	AD04	RH			
2.40	06	2nd Floor	Office 21	AD04	RH			
2.41	06	2nd Floor	Office 20	AD04	LH			
2.42	06	2nd Floor	Office 19	AD04	LH			
2.43	07	2nd Floor	Pause	AD05	LH			
2.47	05	2nd Floor	Lobby	AD02	DD			
2.48	06	2nd Floor	Office 1	AD04	RH			
2.49	06	2nd Floor	Office 9	AD04	LH			
2.50	14	2nd Floor	FHR	ED13	DD			
2.51	06	2nd Floor	Office 8	AD04	LH			
2.52	06	2nd Floor	Office 7	AD04	LH			
2.55	06	2nd Floor	Office 6	AD04	RH			
2.56	06	2nd Floor	Office 5	AD04	RH			
2.57	06	2nd Floor	Office 4	AD04	LH			
2.58	06	2nd Floor	Office 3	AD04	RH			
2.59	06	2nd Floor	Office 2	AD04	RH			
3.01	04	3rd Floor	Lift Lobby	AD02	DD			
3.04	05	3rd Floor	Lobby	AD02	DD			
3.05	06	3rd Floor	Office 15	AD04	RH			
3.06	06	3rd Floor	Office 14	AD04	LH			
3.07	06	3rd Floor	Office 13	AD04	RH			
3.08	06	3rd Floor	Office 12	AD04	RH			
3.09	06	3rd Floor	Office 11	AD04	RH			
3.10	06	3rd Floor	Office 10	AD04	RH			

CONTROL LIST



PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
3.11	06	3rd Floor	Office 9	AD04	RH			
3.12	15	3rd Floor	Recreation Space	AD02	DD			
3.30	07	3rd Floor	Kitchen	AD05	RH			
3.33	06	3rd Floor	Office 8	AD04	RH			
3.34	06	3rd Floor	Office 7	AD04	RH			
3.35	06	3rd Floor	Office 6	AD04	RH			
3.36	06	3rd Floor	Office 5	AD04	RH			
3.37	06	3rd Floor	Office 4	AD04	RH			
3.38	06	3rd Floor	Office 3	AD04	RH			
3.39	06	3rd Floor	Office 2	AD04	LH			
3.40	06	3rd Floor	Office 1	AD04	LH			
3.41	07	3rd Floor	Pause	AD05	LH			
3.42	05	3rd Floor	Lobby	AD02	DD			
3.46	12	3rd Floor	10 Seater B Room	AD04	RH			
3.48	06	3rd Floor	Office 21	AD04	RH			
3.49	14	3rd Floor	FHR	ED13	DD			
3.50	06	3rd Floor	Office 20	AD04	RH			
3.51	06	3rd Floor	Office 19	AD04	RH			
3.52	06	3rd Floor	Office 18	AD04	RH			
3.55	06	3rd Floor	Office 17	AD04	LH			
3.56	06	3rd Floor	Office 16	AD04	LH			
3.57	12	3rd Floor	10 Seater B Room	AD04	LH			
4.01	04	4th Floor	Lift Lobby	AD02	DD			
4.04	05	4th Floor	Lobby	AD02	DD			
4.05	06	4th Floor	Office 16	AD04	RH			
4.06	06	4th Floor	Office 15	AD04	RH			
4.07	06	4th Floor	Office 14	AD04	LH			
4.08	06	4th Floor	Office 13	AD04	LH			
4.09	06	4th Floor	Office 12	AD04	LH			
4.10	06	4th Floor	Office 11	AD04	LH			
4.11	06	4th Floor	Office 10	AD04	LH			
4.12	06	4th Floor	Office 9	AD04	LH			
4.30	07	4th Floor	Kitchen	AD05	RH			
4.33	06	4th Floor	Office 8	AD04	RH			
4.34	06	4th Floor	Office 7	AD04	RH			
4.35	06	4th Floor	Office 6	AD04	RH			
4.36	06	4th Floor	Office 5	AD04	RH			

CONTROL LIST

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
4.37	06	4th Floor	Office 4	AD04	RH			
4.38	06	4th Floor	Office 3	AD04	RH			
4.39	06	4th Floor	Office 2	AD04	LH			
4.40	06	4th Floor	Office 1	AD04	LH			
4.41	07	4th Floor	Pause	AD05	LH			
4.45	05	4th Floor	Lobby	AD02	DD			
4.46	08	4th Floor	10 Seater B Room	AD03	DD			
4.47	14	4th Floor	FHR	ED13	DD			
4.50	06	4th Floor	Office 18	AD04	RH			
4.51	06	4th Floor	Office 17	AD04	RH			
4.53	12	4th Floor	10 Seater B Room	AD04	LH			
5.01	04	5th Floor	Lift Lobby	AD02	DD			
5.04	05	5th Floor	Lobby	AD02	DD			
5.05	08	5th Floor	10 Seater B Room	AD03	DD			
5.07	08	5th Floor	Office 1	AD03	DD			
5.10	06	5th Floor	Office 13	AD04	RH			
5.11	06	5th Floor	Office 12	AD04	RH			
5.12	06	5th Floor	Office 11	AD04	RH			
5.13	06	5th Floor	Office 10	AD04	RH			
5.31	07	5th Floor	Kitchen	AD05	RH			
5.34	06	5th Floor	Office 9	AD04	LH			
5.35	06	5th Floor	Office 8	AD04	LH			
5.36	06	5th Floor	Office 7	AD04	LH			
5.37	06	5th Floor	Office 6	AD04	LH			
5.38	06	5th Floor	Office 5	AD04	LH			
5.39	06	5th Floor	Office 4	AD04	LH			
5.40	06	5th Floor	Office 3	AD04	LH			
5.41	06	5th Floor	Office 2	AD04	LH			
5.42	07	5th Floor	Pause	AD05	LH			
5.43	05	5th Floor	Lobby	AD02	DD			
5.46	08	5th Floor	16 Seater B Room	AD03	DD			
5.48	12	5th Floor	16 Seater B Room	AD04	LH			
5.49	06	5th Floor	Office 21	AD04	LH			
5.50	14	5th Floor	FHR	ED13	DD			
5.51	06	5th Floor	Office 20	AD04	LH			
5.52	06	5th Floor	Office 19	AD04	LH			
5.53	06	5th Floor	Office 18	AD04	LH			

CONTROL LIST

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	GMK	MK	KA
5.54	06	5th Floor	Office 17	AD04	LH			
5.55	06	5th Floor	Office 16	AD04	RH			
5.56	06	5th Floor	Office 15	AD04	RH			
5.57	06	5th Floor	Office 14	AD04	LH			

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Product Code	Description	Finish	Units	Qty	Price	Total
DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	Each	207.0		
ACBSS	Access control by security specialist		Each	13.0		
DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	Pair	69.0		
ITS962-4 NHO	dormakaba EN 2-4 Concealed in the Door Closer - NON HOLD OPEN	-	Set	40.0		
HBAFM	Hinges By Aluminium Frame Manufacturer		Each	180.0		
ES200 Heavy Duty - Separate Quote	dormakaba ES200 HEAVY DUTY Sliding door operator as per separate quotation.		Set	3.0		
DFP-SS-025	dormakaba 120x40mm Rectangular Flush Pull Handle	Stainless Steel	Each	12.0		
DCH-AL-H24	dormakaba Heavy Duty Continuous Geared Hinge - 2400mm	Natural Anodized	Each	1.0		
TS93B HO - SL	dormakaba MECHANICAL HOLD OPEN Cam action slide channel door closer. Max door width 1250mm. Closing Force EN 2-5V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Hold-open devices tested to EN 1155. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Each	1.0		
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	Each	129.0		
SH815 Cyl S.S	dormakaba Lever handle on rose with Cylinder escutcheons	Stainless Steel	Set	129.0		
DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	Each	147.0		

BILL OF MATERIALS

PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Product Code	Description	Finish	Units	Qty	Price	Total
TS92B - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Each	11.0		
D07735 SS	dormakaba Narrow Stile Heavy Duty Swivel Dead Lock. Case dimensions (mm) 174H x 40D. Forend dimensions (mm) 290H x 22W. Backset 35mm.	Stainless Steel	Each	18.0		
DCE-105 S.S	dormakaba Narrow Stile Cylinder escutcheon	Stainless Steel	Pair	18.0		
FAFM	Flush Bolts as per Aluminium Frame Manufacturer		Each	16.0		
DPS-SS-032	dormakaba Dust Proof Strike	Stainless Steel	Each	8.0		
ITS962-4 HO	dormakaba EN 2-4 Concealed in the Door Closer - HOLD OPEN	-	Set	16.0		
TS92B HO - SL	dormakaba MECHANICAL HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Each	2.0		
DSS-135 TC	dormakaba 150x150mm TEA CUP sign	Stainless Steel	Each	2.0		
TS93G - AB - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1250mm. Closing Force EN 2-5V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Push-side door leaf fixing (Standard), Pull-side transom fixing.(Angle bracket included). Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Set	1.0		
TS93G EN5-7 - AB - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1600mm. Closing Force EN 5-7V. Adjustable strength. Hydraulic speed control. Backcheck. Delayed action. Push-side door leaf fixing (Standard), Pull-side transom fixing.(Angle bracket included). Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Set	1.0		
PHB3 WL DD	dormakaba Three point locking panic bar - Double door - Door leaf 1300mm wide x 3400mm high (3103. 3103. PHX02. PHX05)	-	Set	1.0		

BILL OF MATERIALS



PROJECT NAME: Government Printing Works Aluminium Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Product Code	Description	Finish	Units	Qty	Price	Total
DRP-SS-023	dormakaba 62x44mm Ring Flush Pull Handle	Stainless Steel	Each	5.0		
DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	Each	15.0		
					Total	

ALL PRODUCTS, PRODUCT SPECIFICATIONS, PRICES AND DATA SHEETS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

dormakaba South Africa Pty Ltd, and its employees, and all persons acting on its or their behalf, disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any specification document or in any other disclosure relating to any product.

dormakaba South Africa Pty Ltd makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product.

To the maximum extent permitted by applicable law, dormakaba South Africa Pty Ltd disclaims

- i. any and all liability arising out of the application or use of any product,
- ii. any and all liability, including without limitation special, consequential or incidental damages, and
- iii. any and all implied warranties, including warranties of fitness for particular purpose, non infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on dormakaba South Africa Pty Ltd knowledge of typical requirements that are often placed on dormakaba products in generic applications.

Such statements are not binding statements about the suitability of products for a particular application.

It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application.

Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts.

Product specifications do not expand or otherwise modify dormakaba South Africa Pty Ltd terms and conditions of purchase, including but not limited to the warranty expressed therein.

Customers using or selling dormakaba products not expressly indicated for use in such applications do so at their own risk.

Please contact authorized dormakaba personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of dormakaba South Africa Pty Ltd.

Product names and markings noted herein may be trademarks of their respective owners.