



**government
printing**

Department:
Government Printing Works
REPUBLIC OF SOUTH AFRICA

Government Printing Works

GPW HQ- GENERAL UPGRADE OF EXISTING PREMISES

GPW/HQ/2017/02

530 IRONMONGERY SCHEDULE

ISSUED FOR TENDER - T

PREPARED BY



Head Office: 21 West Riding Row, Sherwood, Durban, 4091
Tel: (+27 31) 207 1340, dbn@ldm.co.za
PTA Office: 239 Lange Street, Neuw Muckleneuk Street, Brooklyn,
Pretoria 0180, Tel: (+27 12) 346 8676
JHB Office: Suite 13, 1st Floor, Katherine & West, 114 West Street,
Sandown, 2196, (+27 11) 442 0754



PROJECT NAME: Government Printing Works Partition Doors

PROFESSIONAL: PGA Architects

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

REPORT DATE: 09/11/2020

dormakaba 

HARDWARE PER SET

PROJECT NAME: Government Printing Works Partition Doors






REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		01			
Hardware Set Quantity :		1			
Notes					
Doors (2)		0.21, 5.08			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	TS92B - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	1	Each
	400 x 150 push 304	dormakaba 400mm x 150mm x 2mm grade 304 s/s push plate with 6 holes lasered for countersunk fixings.	-	1	Each
	400 x 75 back	400mm x 75mm x 2mm grade 304 s/s back plate with 6 holes lasered for countersunk fixings. 2 only 8mm diameter holes lasered for dormakaba fixings. Bolts to fit through plate and door.		1	Each
	DPH205 BT	dormakaba 400x30mm Straight Tubular Pull Handle BT	Stainless Steel	1	Each
	ACBSS	Access control by security specialist		1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Partition Doors





REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		02			
Hardware Set Quantity :		1			
Notes					
Doors (4)		0.22, 0.54, 1.50, 4.52			
Product Image	Product Code	Description	Finish	Qty	Units
	HBAFM	Hinges By Aluminium Frame Manufacturer		1	Each
	SH815 Cyl S.S	dormakaba Lever handle on rose with Cylinder escutcheons	Stainless Steel	1	Set
	D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
	DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	1	Each
	DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: Government Printing Works Partition Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

HARDWARE FOR SET:		03			
Hardware Set Quantity :		1			
Notes					
Doors (20)		1.13, 1.14, 1.44, 1.45, 2.15, 2.16, 2.44, 2.45, 3.13, 3.14, 3.43, 3.44, 4.13, 4.14, 4.42, 4.43, 5.15, 5.16, 5.44, 5.45			
Product Image	Product Code	Description	Finish	Qty	Units
	DBB-SS-009	dormakaba 102x75x3mm Two Ball Bearing Butt Hinge	Stainless Steel	2	Pair
	DRP-SS-023	dormakaba 62x44mm Ring Flush Pull Handle	Stainless Steel	1	Each
	D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
	DSC054301 KD (43mm)	dormakaba 43mm five pin Euro-profile Single Cylinder Key to Differ	Satin Nickel	1	Each
	DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	0.5	Pair
	D038R NP	dormakaba Rebate conversion kit for Euro Profile locks D036S, D037D.	Nickel Plated	1	Each
	DFB-SC-180	dormakaba 153mm Manual flush bolt with heel	Satin Chrome	2	Each
	DSS-136 EL	dormakaba 150x150mm ELECTRICAL sign	Stainless Steel	1	Each

CONTROL LIST



PROJECT NAME: Government Printing Works Partition Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Door Number	Hardware Set	Area	Location	Door Type	Handing	KA
0.21	01	Gr Floor	Lift Lobby	TD08	LH	
0.22	02	Gr Floor	Broom Cupb.	TD06	LH	
0.54	02	Gr Floor	Store Room	TD06	LH	
1.13	03	1st Floor	Service Duct	DD02	DD	
1.14	03	1st Floor	Service Duct	DD02	DD	
1.44	03	1st Floor	Service Duct	DD02	DD	
1.45	03	1st Floor	Service Duct	DD02	DD	
1.50	02	1st Floor	Store Room	TD06	RH	
2.15	03	2nd Floor	Service Duct	DD02	DD	
2.16	03	2nd Floor	Service Duct	DD02	DD	
2.44	03	2nd Floor	Service Duct	DD02	DD	
2.45	03	2nd Floor	Service Duct	DD02	DD	
3.13	03	3rd Floor	Service Duct	DD02	DD	
3.14	03	3rd Floor	Service Duct	DD02	DD	
3.43	03	3rd Floor	Service Duct	DD02	DD	
3.44	03	3rd Floor	Service Duct	DD02	DD	
4.13	03	4th Floor	Service Duct	DD02	DD	
4.14	03	4th Floor	Service Duct	DD02	DD	
4.42	03	4th Floor	Service Duct	DD02	DD	
4.43	03	4th Floor	Service Duct	DD02	DD	
4.52	02	4th Floor	Store Room 3	TD06	LH	
5.08	01	5th Floor	Private	TD08	RH	
5.15	03	5th Floor	Service Duct	DD02	DD	
5.16	03	5th Floor	Service Duct	DD02	DD	
5.44	03	5th Floor	Service Duct	DD02	DD	
5.45	03	5th Floor	Service Duct	DD02	DD	

PROJECT NAME: Government Printing Works Partition Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Product Code	Description	Finish	Units	Qty	Price	Total
DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	Each	6.0		
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	Each	4.0		
SH815 Cyl S.S	dormakaba Lever handle on rose with Cylinder escutcheons	Stainless Steel	Set	4.0		
HBAFM	Hinges By Aluminium Frame Manufacturer		Each	6.0		
DDC056501 KD (65mm)	dormakaba 65mm five pin Euro-profile Double Cylinder Key to Differ	Satin Nickel	Each	4.0		
TS92B - SL	dormakaba NON HOLD OPEN Cam action slide channel door closer. Max door width 1100mm. Closing Force EN 2-4V. Adjustable strength. Hydraulic speed control. Pull-side door leaf fixing (Standard), Push-side transom fixing. Door closer compliant with EN 1154. Door closer is CERTI FIRE approved (Certificate No. CF 119) for door types ITT 120, MM/IMM 240. Certified manufacturer to ISO 9001.	Silver	Each	2.0		
400 x 150 push 304	dormakaba 400mm x 150mm x 2mm grade 304 s/s push plate with 6 holes lasered for countersunk fixings.	-	Each	2.0		
400 x 75 back	400mm x 75mm x 2mm grade 304 s/s back plate with 6 holes lasered for countersunk fixings. 2 only 8mm diameter holes lasered for dormakaba fixings. Bolts to fit through plate and door.		Each	2.0		
ACBSS	Access control by security specialist		Each	2.0		
DPH205 BT	dormakaba 400x30mm Straight Tubular Pull Handle BT	Stainless Steel	Each	2.0		
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	Pair	10.0		
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	Each	20.0		

BILL OF MATERIALS



PROJECT NAME: Government Printing Works Partition Doors

REPORT DATE: 09/11/2020

PROFESSIONAL: PGA Architects

REVISION DATE: 05/11/2020

CONSULTANT: Ursula Jansen (082 577 1345)

REVISION: v 4

Product Code	Description	Finish	Units	Qty	Price	Total
DRP-SS-023	dormakaba 62x44mm Ring Flush Pull Handle	Stainless Steel	Each	20.0		
DBB-SS-009	dormakaba 102x75x3mm Two Ball Bearing Butt Hinge	Stainless Steel	Pair	40.0		
D038R NP	dormakaba Rebate conversion kit for Euro Profile locks D036S, D037D.	Nickel Plated	Each	20.0		
DFB-SC-180	dormakaba 153mm Manual flush bolt with heel	Satin Chrome	Each	40.0		
DSS-136 EL	dormakaba 150x150mm ELECTRICAL sign	Stainless Steel	Each	20.0		
DSC054301 KD (43mm)	dormakaba 43mm five pin Euro-profile Single Cylinder Key to Differ	Satin Nickel	Each	20.0		
					Total	

ALL PRODUCTS, PRODUCT SPECIFICATIONS, PRICES AND DATA SHEETS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

dormakaba South Africa Pty Ltd, and its employees, and all persons acting on its or their behalf, disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any specification document or in any other disclosure relating to any product.

dormakaba South Africa Pty Ltd makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product.

To the maximum extent permitted by applicable law, dormakaba South Africa Pty Ltd disclaims

- i. any and all liability arising out of the application or use of any product,
- ii. any and all liability, including without limitation special, consequential or incidental damages, and
- iii. any and all implied warranties, including warranties of fitness for particular purpose, non infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on dormakaba South Africa Pty Ltd knowledge of typical requirements that are often placed on dormakaba products in generic applications.

Such statements are not binding statements about the suitability of products for a particular application.

It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application.

Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts.

Product specifications do not expand or otherwise modify dormakaba South Africa Pty Ltd terms and conditions of purchase, including but not limited to the warranty expressed therein.

Customers using or selling dormakaba products not expressly indicated for use in such applications do so at their own risk.

Please contact authorized dormakaba personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of dormakaba South Africa Pty Ltd.

Product names and markings noted herein may be trademarks of their respective owners.