



2. ALL CONNECTIONS TO WAFFS TO BE ≥ 15 mm ANGLE
RELATIVE TO EACH OTHER.
3. ALL CONNECTIONS TO DOMESTIC KITCHEN SINKS TO BE
 ≥ 20 mm.
4. ALL CONNECTIONS TO URINALS TO BE ≥ 15 mm.
5. ALL CONNECTIONS TO WCs TO BE ≥ 15 mm.
6. ALL CONNECTIONS TO DOWNPIPES TO BE ≥ 15 mm REDUCED
TO ≥ 10 mm AT DOWNPIPS / WASTES.
7. ALL PIPES TO BE ≥ 25 mm.
8. ≥ 20 mm TO MACHINERY WORK WITH STOCKS AT ≥ 25 mm.
9. ALL PIPING SHALL BE SUBJECTED TO A TEST PRESSURE OF
AT LEAST 1000 kPa, BUT NOT LESS THAN 15 TIMES THE
ALLOWED WORKING PRESSURE. THE TEST OF THE INSTALLATION
PROOF BEING CONSIDERED IN WALL COUGHS, ETC. & SOAK TEST
FOR 24 HOURS.
10. ALL WATER PIPES TO BE INSULATED WITH THERMAFLEX
DOWN OR FOAM AND APPROVED DOUBLE INSULATED
INSULATION SHALL BE COVERED BY DOWNPIPE.
11. PIPE SLOPES SPACING TO BE AS INDICATED IN THE STANDARD
SPECIFICATION.
12. ALL AUTOMATIC AIR BLEED / VACUUM PIPES TO BE FITTED AT ALL
CHANGES OF DIRECTION.
13. PIPING TO RUN IN ROOF SPACE FIXED WITH HANGING BOLTS ETC.
AS DESCRIBED IN THE SPECIFICATION (NOTE THAT NO GALVANIZED
STEEL SHALL BE USED IN ROOF SPACE).
14. ALL HOT PIPES TO BE ON LAYS AND COLD PIPES ON TOP OF FITTING
SUPPORTS.
15. ALL PIPING AND VALVES TO BE COLOUR CODED AND LABELLED AS
PER THE STANDARD SPECIFICATION.
16. ALL FITTINGS & BRANCH PIPES RUN UPWARDS TO HAVE INDIVIDUAL
STOPVALVES.
17. ALL PIPE JOINTS TO CONFORM TO ARCHITECTS STANDARD.
18. STRAINER TO BE POSITIONED HORIZONTALLY.

GENERAL NOTES:

All boundaries, dimensions and levels are to be checked on site before construction and any discrepancies are to be reported to the Architect.

Partial Service: Any discrepancies with site or other information is to be advised to the Architect and direction or approval is to be sought before the implementation of the detail.

Do not scale this drawing.

For the purpose of coordination, all relevant parties must check this information prior to implementation and report any discrepancies to the Architect.

NO COPYRIGHT. THIS DRAWING MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS IN PART OR IN WHOLE WITHOUT THE PERMISSION OF THE DESIGNER.

ALL WORK TO BE CARRIED OUT IN ACCORDANCE WITH SAND CODE 1040S, N.S.R & LOCAL AUTHORITY BYLAWS.

USE FIGURED DIMENSIONS ONLY. DO NOT SCALE.

NO CONSTRUCTION FROM THESE DRAWINGS IS AT OWNER'S RISK.

ALL BOUNDARIES, DIMENSIONS AND LEVELS ARE TO BE CHECKED ON SITE BEFORE CONSTRUCTION AND ANY DISCREPANCIES ARE TO BE REPORTED TO THE ARCHITECT.

PARTIAL, SEVERAL, ANY DISCREPANCIES WITH SITE OR INFORMATION ON THIS DRAWING ADVISED TO THE ARCHITECT AND DIRECTION OR APPROVAL IS TO BE SOUGHT BEFORE IMPLEMENTATION OF THE DRAWING.

FOR THE PURPOSE OF COORDINATION, ALL RELEVANT PARTIES MUST CHECK THIS INFORMATION PRIOR TO CONSTRUCTION AND REPORT ANY DISCREPANCIES TO THE ARCHITECT.

Drawn: LM	Checked: GG	DATE: 11/12/2017
PROJECT No. GP/17-006 DRAWING No.: P-4007		REVISION: T0