

EMIS No.		SCHOOL NAME					
500101306		AMABUYE SECONDARY SCHOOL					
ENROLMENT	No. of Grade R learners:		No. of learners Grade 1 - 12:				
			655				
TABLE 1: DBE Minimum Norms and Standards							
The facilities shown below are the minimum requirement as per DBE Minimum Norms and Standards and have been extrapolated from the National Building Regulations (SANS 10400-P:2010): Table 6 (Personnel) and Table 7 (Learners)							
SANITATION FACILITIES	Norm		Actual		Required		
	Toilet Seats	Urinals	Toilet Seats	Urinals	Toilet Seats	Urinals	
	Girls' facilities	10	6	8	0	2	6
	Boys' facilities	4	6	3	2	2	4
	Female Teachers' facilities	3	2	2	2	1	1
	Male Teachers' facilities	1	2	2	0	1	2
	Disabled Toilets (Unisex toilet)	2	2	0	0	2	2
	Grade R Toilets	0	0	0	0	0	0
	Grade R Teachers' Toilets	0	0	0	0	0	0
	TOTALS	20	8	15	14	6	11
Norm Ratios		Actual Ratios					
Learner:Toilet/Urinal	Learner: Washbasin	Learner:Toilet/Urinal	Learner: Washbasin				
29.77	59.55	54.58	327.50				



BLOCK LEGEND	
A	ADMIN BUILDING
B	5 CLASSROOM BLOCK
C	HALL - 2 CLASSROOM
D	SOUP KITCHEN
E	5 CLASSROOM BLOCK
F	1 CLASSROOM BLOCK
G	TOILETS MALES x2
H	TOILETS FEMALES
I	TOILETS FEMALE

LEGEND	
	EXISTING TREES
	EXISTING FACEBRICK STRUCTURE
	EXISTING SCHOOL FENCE
	EXISTING DIRT PATHWAY
	EXISTING GRAVEL PATHWAY
	GATE

NO	DATE	REVISION	DRAWN
01	05/02/2019	ISSUED FOR INFORMATION	L.G.
02	15/07/2019	ISSUED FOR INFORMATION	L.G.
03	21/09/2022	ISSUED FOR INFORMATION	L.G.
04	06/02/2023	ISSUED FOR INFORMATION	L.G.
05	13/02/2023	ISSUED FOR INFORMATION	L.G.

ISSUED FOR TENDER

PRINCIPAL AGENT / CIVIL / STRUCTURAL ENGINEER
MARISWE
No.7 Bush Strike Close
Victoria Country Club Estate
170 Peter Brown Drive
Montrose/Petermaritzburg
3201
Tel :033 347 7900
cell:montiburg@mariswe.com

THE ENGINEERING COUNCIL OF SOUTH AFRICA (ECSA) NUMBER and signature:
20010004
20050193

ARCHITECT
LIWANE CONSULTING
Office Suite No.104
47 Chapel Street (Peter Kerchhoff)
Petermaritzburg
3200
Tel :033 342 5135
Fax :033 342 4989
email:admin@liwarch.co.za

ARCHITECTURAL PROFESSIONAL SACAP NUMBER and signature:
S.SAMBUMBU SACAP 20725

QUANTITY SURVEYOR
LIWANE CONSULTING
Office Suite No.104
47 Chapel Street (Peter Kerchhoff)
Petermaritzburg
3200
Tel :033 342 4989
Fax :033 342 5135
cell:info@liwancs.co.za

3285
ELECTRICAL MECHANICAL
KARO CONSULTANTS
10 Boom Street
Petermaritzburg
3200
Tel :
Fax :
email:info@karosolutions.co.za

THE ENGINEERING COUNCIL OF SOUTH AFRICA (ECSA) NUMBER and signature:


201670008
ASSOCIATED REFERENCE DRAWING

FIELD	DESCRIPTION	DRAWING NUMBER	REV.	DATE

KEY : A = ARCHITECT, C = CIVIL, S = STRUCTURAL, M = MECHANICAL, E = ELECTRICAL, L = LANDSCAPE

ISSUED BY	DATE	REVISION
SEARCH	04/09/20	AS BIDDING
DESIGN	04/09/20	FOR INFORMATION
VALUE	04/09/20	FOR INFORMATION
VALUE	04/09/20	FOR INFORMATION

CLIENT



PROJECT
Kwa-Zulu Natal Department of Education
Infrastructure Development and Maintenance
Programme
PROVINCE: KZN PROVINCE

DRAWING TITLE
AMABUYE SECONDARY SCHOOL:
SITE DEVELOPMENT PLAN

TYPE OF INFRASTRUCTURE	STORMWATER DAMAGE
500 101 306	ARCH
A1000	T 00